



FLOORING & OVERLAY

Parkside flooring adds natural beauty to any interior.

Our flooring products are grown, produced and manufactured in Australia for Australian conditions. Our flooring is certified by internationally recognised PEFC - denoting that all products are sourced from sustainably managed forests.



**PARKSIDE
TIMBER**



KEY BENEFITS

- Our products are grown and manufactured in Australia for Australian conditions.
- Timber floors are a natural resource and create five times less carbon emissions than ceramic tiles.
- Parkside flooring is easy to care for once installed and sealed. Maintenance is low with just routine sweeping.



CERTIFICATION

Manufactured to comply with AS 2796

Fire rated in accordance with AS 3959 and BAL 12.5 as a minimum

QLD Spotted Gum and Ironbark Red are fire rated to BAL 29

Karri and Jarrah can achieve BAL 29 when used in conjunction with non-combustible wall cladding and enclosed subfloor

Chain of Custody as per AS 4707



SPECIES

QLD Spotted Gum (Hardness 11)

Grey Ironbark (Hardness 14)

Red Ironbark (Hardness 14)

QLD Reds (Hardness 12)

Mixed Blends (Hardness 10.5)

Southern Ash (Hardness 5.8)

Australian Chestnut (Hardness 7.1)

Wormy Chestnut (Hardness 7.1)

Karri (Hardness 9.0)

Jarrah (Hardness 8.5)

Hardness refers to the Janka rating which is the hardness level given to each species. The higher the number, the greater the hardness.



GRADES

Select | Standard | Feature



SIZES AND LENGTHS

QLD Spotted Gum · Grey Ironbark · Red Ironbark · QLD Reds · Mixed Blends

80 | 130 x 19mm (End Matched)

85 | 130 x 13mm (Overlay Plain End)

Solid flooring lengths 0.9m to 5.9m

Overlay flooring lengths 0.6m to 3.0m

Australian Chestnut · Wormy Chestnut · Southern Ash

85 | 130 x 19mm (End Matched)

85 | 130 x 14mm (Overlay Plain End)

180 x 19mm (Plain End Southern Ash)

Solid flooring lengths 0.9m to 5.9m

Overlay flooring lengths 0.4m to 3.0m

Karri · Jarrah

80 | 130 x 19mm (End Matched)

85 | 130 x 13mm (Overlay Plain End)

Solid flooring lengths 0.9m to 5.9m

Overlay flooring lengths 0.6m to 3.0m



DURABILITY

QLD Spotted Gum · Grey Ironbark · Red Ironbark · QLD Reds · Mixed Blends

Class 1 Above Ground

Karri · Jarrah

Class 2 Above Ground

Australian Chestnut · Wormy Chestnut · Southern Ash

Class 3 Above Ground



**PARKSIDE
TIMBER**



**Responsible
Wood**
RW/1-31-57